Author Index

Abdallah, S. M.	Geometric shape errors in forging: developing a metric and an inverse model	1229–1240
Ackerman, M.	Reducing pressure transients in hydraulic circuits of die casting machines to improve the quality of the produced components	207–215
Ackroyd, B.	Exploration of contact conditions in machining	493–507
Adams, A. B. J.	The use of quality management tools and techniques: a study in plastic injection moulding manufacture	847–855
Ahmed, M. R.	Improving wheel–workpiece contact detection using a hybrid neural network	1595–1602
Ahn, Y.	Effects of stiffness and damping coefficients of the spindle bearing on the dynamics of the cylindrical plunge grinding process	1711–1718
Ainsworth, I.	Contact probe radius compensation using computer aided design models	819–834
Akcan, N. S.	Exploration of contact conditions in machining	493–507
Alting, L.	Life cycle management and assessment: approaches and visions towards sustainable manufacturing	599–626
Alvi, A. U.	Selecting next-generation manufacturing paradigms—an analytic hierarchy process based criticality analysis	1773–1786
Arndt, G.	Life cycle management and assessment: approaches and visions towards sustainable manufacturing	599–626
Barclay, I.	Agile manufacturing: a management and operational framework	857–869
Barry, J.	Study on acoustic emission in machining hardened steels. Part 1: acoustic emission during saw-tooth chip formation	1549–1559
Barry, J.	Study on acoustic emission in machining hardened steels. Part 2: acoustic emission during continuous chip formation with a non-overlapping cutting arrangement	1561–1570
Beckmann, M.	Process layout and forming results from deep drawing using pressurized membranes	977–990
Bell, R.	Design of a tool management system for a flexible machining facility	353–370
Bell, R.	Assisting design for manufacture using the data model driven approach	1757–1771
Bey, N.	Design of environmentally friendly products using indicators	627–645
Bi, Z. M.	A software environment for flexible manufacturing system control software testing	339–352
Billett, E. H.	An initial investigation into active disassembly using shape memory polymers	733–741
Bobbert, S.	Process strategies for sheet metal hydroforming of lightweight components	967–976
Bonnavand, F.	A fast new numerical tool for designing prestressed dies for backward extrusion. Part 1: die behaviour	169–179
Bonnavand, F.	A fast new numerical tool for designing prestressed dies for backward extrusion. Part 2: numerical analysis	181–193
Booker, J. D.	Advances in probabilistic design: manufacturing knowledge and applications	297–313
Borja, V.	Assisting design for manufacture using the data model driven approach	1757–1771
Bramley, A. N.	A fast new numerical tool for designing prestressed dies for backward extrusion. Part 1: die behaviour	169–179
Bramley, A. N.	A fast new numerical tool for designing prestressed dies for backward extrusion. Part 2: numerical analysis	181–193
Breede, R.	Process layout and forming results from deep drawing using pressurized membranes	977–990
Britton, G. A.	Optimal process plans for manufacturing and tolerance charting	1099–1105
Brooks, J. W.	A comparison of the macromodel and neural network approaches for the prediction of microstructural evolution during hot forging	915–925
Broomhead, P.	Surface blending for machining purposes: a brief survey and application for machining compound surfaces	1397–1408
Brujic, D.	Contact probe radius compensation using computer aided design models	819–834
Bürkner, S.	Flexible disassembly systems—layouts and modules for processing obsolete products	723–732
Burrows, J.	The use of vectors for defining the three-dimensional texture and asymmetric directionality of turned specimens	125–134
Busby, J. S.	Characterizing failures in design activity	1417–1424
Byrne, G.	Study on acoustic emission in machining hardened steels. Part 1: acoustic emission during saw-tooth chip formation	1549–1559
Byrne, G.	Study on acoustic emission in machining hardened steels. Part 2: acoustic emission during continuous chip formation with a non-overlapping cutting arrangement	1561–1570
Cabanes, I.	Cutting conditions and tool optimization in the high-speed milling of aluminium alloys	1257–1269

© IMechE 2001

Cardew-Hall, M. J.	Geometric shape errors in forging: developing a metric and an inverse model	1229–1240
Castellani, M.	Intelligent control of fibre optic components assembly	1177–1189
Chan, A. B.	Unsupervised adaptive resonance theory neural networks for control chart pattern recognition	59–67
Chan, F. M.	Roundness improvement in taper machining based on two-dimensional active error compensation	1695–1710
Chan, F. T. S.	Modelling of integrated, distributed and cooperative process planning system using an agent-based approach	1437–1451
Chan, J. S. F.	Experimental study of workpiece-level variability in blind-via electroplating	521–530
Chandrasekar, S.	Exploration of contact conditions in machining	493–507
Chandrasekar, S.	Techniques for rapid characterization of grinding wheel–workpiece combinations	1385–1395
Chang, F. Y.	Fluid drag, ball interaction and gyroscopic effects in magnetic fluid grinding	1007–1019
Chang, T.-H.	Analytical modelling of the effects of manufacturing errors on the accuracy for a TRR–XY hybrid parallel link machine tool	1203–1216
Chang, T.-H.	Using a data fusion neural network in the tool wear monitoring of a computer numerical control turning machine	1241–1255
Chen, C.-K.	A new approach to enhance the manufacturing accuracy of the cylindrical worm using measured circular-arc helicoidal profile data	47–58
Chen, C.-K.	A high-precision tool model for helical pinion cutters	161–168
Chen, C.-K.	Evaluation of straightness and flatness using a hybrid approach—genetic algorithms and the geometric characterization method	377–382
Chen, C.-K.	Determination of the critical modification coefficient for a cylindrical worm gear drive with the worm generated by a surface of revolution	1425–1436
Chen, C.-K.	Quality assurance of milling cutters—a contribution to multicomponent tolerancing	1571–1580
Chen, C.-K.	Modelling and computer simulation of grinding of the ball end type rotating cutter with a constant helical angle	1581–1594
Chen, C.-K.	An efficient method for determining the critical modification coefficient for cylindrical worm gearing in which the worm is generated by a curve	1745–1755
Chen, S.-L.	Analytical modelling of the effects of manufacturing errors on the accuracy for a TRR–XY hybrid parallel link machine tool	1203–1216
Chen, S.-L.	Using a data fusion neural network in the tool wear monitoring of a computer numerical control turning machine	1241–1255
Chestney, J. A.	Characterizing an electrostatic gripping device for the automated handling of non-rigid materials	21–36
Chhabra, P.	Exploration of contact conditions in machining	493–507
Childs, T. H. C.	Fluid drag, ball interaction and gyroscopic effects in magnetic fluid grinding	1007–1019
Childs, T. H. C.	Selective laser sintering of a crystalline and a glass-filled crystalline polymer: experiments and simulation	1481–1495
Chiodo, J. D.	An initial investigation into active disassembly using shape memory polymers	733–741
Cho, H. S.	A neural network approach to the modelling and analysis of stereolithography processes	1719–1733
Cho, W. G.	An experimental study on thixoforging of semi-solid materials and solutions for avoiding defects	1217–1227
Cho, Y.	Development of a quality estimation model using multivariate analysis during resistance spot welding	1529–1538
Choi, S.-H.	Effects of stiffness and damping coefficients of the spindle bearing on the dynamics of the cylindrical plunge grinding process	1711–1718
Colquhoun, G.	Agile manufacturing: a management and operational framework	857–869
Compton, W. D.	Exploration of contact conditions in machining	493–507
Costa, C. A.	Product range models supporting design knowledge reuse	323–337
Courts, M.	Application of the goal tree–success tree (GTST) technique to decompose ship design in a production context	79–92
Coutouly, J. F.	Continuous wave–CO_2 laser power control process applied to welding	395–402
Culley, S. J.	A protocol for communication in a component-based modelling infrastructure	453–464
Dale, B. G.	The use of quality management tools and techniques: a study in plastic injection moulding manufacture	847–855
Dalgarno, K. W.	The UK Navy RAMP Project: improving the spares provisioning process through the rapid acquisition of manufactured parts	283–296
Dalgarno, K. W.	Manufacture of production injection mould tooling incorporating conformal cooling channels via indirect selective laser sintering	1323–1332
Dann, Z.	Agile manufacturing: a management and operational framework	857–869
Dauensteiner, A.	Economic and ecological aspects in product life cycle evaluation	673–681

© IMechE 2001

Davim, J. P.	Turning particulate metal matrix composites: experimental study of the evolution of the cutting forces, tool wear and workpiece surface roughness with the cutting time	371–376
Deffontaine, A.	Continuous wave–CO_2 laser power control process applied to welding	395–402
Deprez, P.	Continuous wave–CO_2 laser power control process applied to welding	395–402
De Souza, R. B. R.	Design of a tool management system for a flexible machining facility	353–370
Dickens, P. M.	Improvements in investment casting with stereolithography patterns	1–11
Dickens, P. M.	Design limits of unbonded laminate tooling for pressure die-casting	531–543
Dini, G.	An evolutionary approach to complex job-shop and flexible manufacturing system scheduling	233–245
Doege, E.	Numerical design of a new forging press drive incorporating non-circular gears	465–471
Doniavi, A.	A systems approach to electronic assembly optimization	1409–1415
Eder, W. E.	Designing and life cycle engineering—a systematic approach to designing	657–672
Ehmann, K. F.	Fifth octave mode chatter in rolling	797–809
Elbestawi, M. A.	Tool wear and surface integrity during high-speed turning of hardened steel with polycrystalline cubic boron nitride tools	755–767
Elboughy, A.	On the selective removal of steel by laser-assisted vortex machining	1051–1064
Elewa, I. M.	Using the grey level histogram to distinguish between roughness of surfaces	545–553
Elewa, I. M.	Extraction of roughness properties from captured images of surfaces	555–564
ElMaraghy, H. A.	Towards a less conservative analysis of geometric tolerances	37–45
ElMaraghy, H. A.	Rough pocketing of multi-sculptured surface cavities	745–753
Ezugwu, E. O.	Machining of martensitic stainless steel (JETHETE) with coated carbides	769–779
Farris, T. N.	Exploration of contact conditions in machining	493–507
Farris, T. N.	Techniques for rapid characterization of grinding wheel–workpiece combinations	1385–1395
Feldmann, K.	Computer-based product structure analysis for technical goods regarding optimal end-of-life strategies	683–693
Fok, S. C.	Optimal process plans for manufacturing and tolerance charting	1099–1105
Fung, E. H. K.	Roundness improvement in taper machining based on two-dimensional active error compensation	1695–1710
Gandelmawla, E. S.	Using the grey level histogram to distinguish between roughness of surfaces	545–553
Gandelmawla, E. S.	Extraction of roughness properties from captured images of surfaces	555–564
Garside, J.	Rapid progress in manufacturing	441–452
Geiger, M.	Process strategies for sheet metal hydroforming of lightweight components	967–976
Gill, R.	A hybrid neural network–feature-based manufacturability analysis of mould reinforced plastic parts	1065–1079
Gologlu, C.	A computer aided process planning system for concurrent engineering	1117–1131
Grieve, R. J.	Surface blending for machining purposes: a brief survey and application for machining compound surfaces	1397–1408
Griffiths, B.	The use of vectors for defining the three-dimensional texture and asymmetric directionality of turned specimens	125–134
Hadfield, M.	Parameter optimization by Taguchi methods for finishing advanced ceramic balls using a novel eccentric lapping machine	69–78
Hadfield, M.	A novel eccentric lapping machine for finishing advanced ceramic balls	781–795
Hague, R.	Improvements in investment casting with stereolithography patterns	1–11
Han, D. C.	In-process sensing of tool wear and process states using a cylindrical displacement sensor in hard turning	1673–1682
Han, D.-C.	Effects of stiffness and damping coefficients of the spindle bearing on the dynamics of the cylindrical plunge grinding process	1711–1718
Harding, J. A.	Assisting design for manufacture using the data model driven approach	1757–1771
Harris, J.	Reframing standards using fuzzy sets for improved quality control	315–322
Harrison, D. J.	An initial investigation into active disassembly using shape memory polymers	733–741
Harrison, R.	Distributed engineering of manufacturing machines	217–231
Hartley, P.	Developments in computational modelling techniques for industrial metal forming processes	903–914
Hatna, A.	Surface blending for machining purposes: a brief survey and application for machining compound surfaces	1397–1408
Hicks, B. J.	A protocol for communication in a component-based modelling infrastructure	453–464
Hsei, M.-H.	Analytical modelling of the effects of manufacturing errors on the accuracy for a TRR–XY hybrid parallel link machine tool	1203–1216
Hu, D.	On-line sensing and estimation of laser surface modification by computer vision	1081–1090
Hu, P.-H.	Fifth octave mode chatter in rolling	797–809
Hu, S. J.	Impact strength measurement of spot welds	403–414
Hu, W.	A multisensor-based system for manufacturing process monitoring	1165–1175

© IMechE 2001

Jang, D. Y.	In-process sensing of tool wear and process states using a cylindrical displacement sensor in hard turning	1673–1682
Jawaid, A.	Machining of martensitic stainless steel (JETHETE) with coated carbides	769–779
Johns, C.	The development of an on-line milling cutter tooth breakage detection system	147–160
Jywe, W.-Y.	Evaluation of straightness and flatness using a hybrid approach—genetic algorithms and the geometric characterization method	377–382
Jywe, W.-Y.	Quality assurance of milling cutters—a contribution to multicomponent tolerancing	1571–1580
Kang, C. G.	An experimental study on thixoforging of semi-solid materials and solutions for avoiding defects	1217–1227
Kang, J.	Parameter optimization by Taguchi methods for finishing advanced ceramic balls using a novel eccentric lapping machine	69–78
Kang, J.	A novel eccentric lapping machine for finishing advanced ceramic balls	781–795
Kang, J.-G.	Disassembly planning and scheduling: review and further research	695–709
Kang, M. J.	A study on the development of the arc stability index using multiple regression analysis in the short-circuit transfer region of gas metal arc welding	195–205
Katz, Z.	On process modelling for selective laser sintering of stainless steel	1497–1504
Kim, C.-H.	A study of an arc sensor model for gas metal arc welding with rotating arc. Part 1: dynamic simulation of wire melting	1271–1279
Kim, C.-H.	A study of an arc sensor model for gas metal arc welding with rotating arc. Part 2: simulation of an arc sensor in mechanically rotating gas metal arc welding	1281–1288
Kim, D.-H.	Effects of stiffness and damping coefficients of the spindle bearing on the dynamics of the cylindrical plunge grinding process	1711–1718
Kim, I. H.	In-process sensing of tool wear and process states using a cylindrical displacement sensor in hard turning	1673–1682
Kim, W. J.	In-process sensing of tool wear and process states using a cylindrical displacement sensor in hard turning	1673–1682
Kim, Y.	Development of a quality estimation model using multivariate analysis during resistance spot welding	1529–1538
Kini, S. D.	Precision and ejection issues in the cold forging of a fuel injector nozzle	927–933
Kini, S.	Investigation of internal cracking and its prevention during induction heating of cold-forged parts	1367–1375
Kini, S.	Investigation of end cracking and its prevention by a double reduction die in the cold extrusion of automotive parts	1377–1384
Kishawy, H. A.	Tool wear and surface integrity during high-speed turning of hardened steel with polycrystalline cubic boron nitride tools	755–767
Komanduri, R.	A review on the molecular dynamics simulation of machining at the atomic scale	1639–1672
Kompella, S.	Techniques for rapid characterization of grinding wheel–workpiece combinations	1385–1395
Koura, M. M.	Using the grey level histogram to distinguish between roughness of surfaces	545–553
Koura, M. M.	Extraction of roughness properties from captured images of surfaces	555–564
Koura, M.	Improving wheel–workpiece contact detection using a hybrid neural network	1595–1602
Kovacevic, R.	On-line sensing and estimation of laser surface modification by computer vision	1081–1090
Kovacevic, R.	Rapid prototyping based on variable polarity gas tungsten arc welding for a 5356 aluminium alloy	1519–1527
Krishnamurthy, K.	Exploration of contact conditions in machining	493–507
Kyrssanov, V. V.	An Internet-enabled technology to support evolutionary design	647–655
Kwong, C. K.	Layer manufacture of jewel ring by volume efficient methodology	1035–1049
Labib, A. W.	Selecting next-generation manufacturing paradigms—an analytic hierarchy process based criticality analysis	1773–1786
Labudovic, M.	On-line sensing and estimation of laser surface modification by computer vision	1081–1090
Lai, H.-Y.	A new approach to enhance the manufacturing accuracy of the cylindrical worm using measured circular-arc helicoidal profile data	47–58
Lai, H.-Y.	A high-precision tool model for helical pinion cutters	161–168
Lamikiz, A.	Cutting conditions and tool optimization in the high-speed milling of aluminium alloys	1257–1269
Lawrence, J.	The characteristics of a high-power diode laser fired enamel coating on a carbon steel	509–519
Lawrence, J.	Wettability characteristics of polyethylene modified with CO_2, Nd:YAG, excimer and high-power diode lasers	1735–1744
Lee, C.-K.	Determination of the critical modification coefficient for a cylindrical worm gear drive with the worm generated by a surface of revolution	1425–1436
Lee, C.-K.	An efficient method for determining the critical modification coefficient for cylindrical worm gearing in which the worm is generated by a curve	1745–1755
Lee, D. H.	Design and analysis of hollow section extrusion of the underframe part of a railroad vehicle using mismatching refinement with domain decomposition	383–394

© IMechE 2001

Lee, D.-H.	Disassembly planning and scheduling: review and further research	695–709
Lee, J. N.	Interference-free tool orientation determination by a virtual enveloping element for five-axis machining of a freeform surface	1683–1693
Lee, K.	Mathematical modelling of geometric tolerance propagation, considering effects of datums	1191–1201
Lee, R. S.	Interference-free tool orientation determination by a virtual enveloping element for five-axis machining of a freeform surface	1683–1693
Lee, S. H.	A neural network approach to the modelling and analysis of stereolithography processes	1719–1733
Lee, Y. K.	Design and analysis of hollow section extrusion of the underframe part of a railroad vehicle using mismatching refinement with domain decomposition	383–394
Lenau, T.	Design of environmentally friendly products using indicators	637–645
Leu, M. C.	A neural network approach to the modelling and analysis of stereolithography processes	1719–1733
Leung, A.	A multisensor-based system for manufacturing process monitoring	1165–1175
Li, L.	The characteristics of a high-power diode laser fired enamel coating on a carbon steel	509–519
Li, L.	Wettability characteristics of polyethylene modified with CO_2, Nd:YAG, excimer and high-power diode lasers	1735–1744
Li, P.	Modelling of integrated, distributed and cooperative process planning system using an agent-based approach	1437–1451
Li, Q.	A software environment for flexible manufacturing system control software testing	339–352
Li, T.-J.	A high-precision tool model for helical pinion cutters	161–168
Lin, S.-W.	Dynamic measurement accuracy evaluation of coordinate measuring machines	1091–1097
Liu, C.-H.	Evaluation of straightness and flatness using a hybrid approach—genetic algorithms and the geometric characterization method	377–382
Liu, C.-H.	Quality assurance of milling cutters—a contribution to multicomponent tolerancing	1571–1580
Liu, Q.	On precision droplet-based net-form manufacturing technology	1333–1355
Liu, X.-Y.	A mechanical model for predicting critical thrust forces in drilling composite laminates	135–146
Lohrmann, H.	Computer-based product structure analysis for technical goods regarding optimal end-of-life strategies	683–693
López de Lacalle, L. N.	Cutting conditions and tool optimization in the high-speed milling of aluminium alloys	1257–1269
Madhavan, V.	Exploration of contact conditions in machining	493–507
Maksoud, T. M. A.	Using the grey level histogram to distinguish between roughness of surfaces	545–553
Maksoud, T. M. A.	Extraction of roughness properties from captured images of surfaces	555–564
Maksoud, T. M. A.	Improving wheel–workpiece contact detection using a hybrid neural network	1595–1602
Manas, S.	Reducing pressure transients in hydraulic circuits of die casting machines to improve the quality of the produced components	207–215
Markelj, F.	Development of an algorithm for tungsten inert gas welding of an austenitic stainless steel sheet	1021–1033
Marquez, M.	A hybrid neural network–feature-based manufacturability analysis of mould reinforced plastic parts	1065–1079
Matsubara, S.	A computer numerically controlled dieless incremental forming of a sheet metal	959–966
Meinen, J.	Numerical design of a new forging press drive incorporating non-circular gears	465–471
Melzer, K.	Computer-based product structure analysis for technical goods regarding optimal end-of-life strategies	683–693
Mileham, A. R.	A systems approach to electronic assembly optimization	1409–1415
Monfared, R. P.	Distributed engineering of manufacturing machines	217–231
Mynors, D. J.	A fast new numerical tool for designing prestressed dies for backward extrusion. Part 1: die behaviour	169–179
Mynors, D. J.	A fast new numerical tool for designing prestressed dies for backward extrusion. Part 2: numerical analysis	181–193
Na, S.-J.	A study of an arc sensor model for gas metal arc welding with rotating arc. Part 1: dynamic simulation of wire melting	1271–1279
Na, S.-J.	A study of an arc sensor model for gas metal arc welding with rotating arc. Part 2: simulation of an arc sensor in mechanically rotating gas metal arc welding	1281–1288
Nachiappan, R.	Investigation of electrodischarge micromachining controllable factors on machined silicon surface quality	811–817
Nassef, A. O.	Towards a less conservative analysis of geometric tolerances	37–45
Neumaier, T.	Numerical design of a new forging press drive incorporating non-circular gears	465–471
Newnes, L. B.	A systems approach to electronic assembly optimization	1409–1415
Ngoi, B. K. A.	Effect of tool and workpiece anisotropy on microcutting processes	13–19
Niemann, J.	Economic and ecological aspects in product life cycle evaluation	673–681
Novotny, S.	Process strategies for sheet metal hydroforming of lightweight components	967–976
Olajire, K. A.	Machining of martensitic stainless steel (JETHETE) with coated carbides	769–779

© IMechE 2001

O'Neill, W.	On the selective removal of steel by laser-assisted vortex machining	1051–1064
Orme, M.	On precision droplet-based net-form manufacturing technology	1333–1355
Özbayrak, M.	Design of a tool management system for a flexible machining facility	353–370
Pabalkar, P.	Investigation of end cracking and its prevention by a double reduction die in the cold extrusion of automotive parts	1377–1384
Park, J.-H.	Task sequence optimization for a dual-robot assembly system using evolutionary algorithms	835–846
Park, K.	Design and analysis of hollow section extrusion of the underframe part of a railroad vehicle using mismatching refinement with domain decomposition	383–394
Park, S.	Mathematical modelling of geometric tolerance propagation, considering effects of datums	1191–1201
Park, W. S.	A neural network approach to the modelling and analysis of stereolithography processes	1719–1733
Pauskar, P.	Investigation of internal cracking and its prevention during induction heating of cold-forged parts	1367–1375
Pearson, M. A.	The UK Navy RAMP Project: improving the spares provisioning process through the rapid acquisition of manufactured parts	283–296
Persson, J.-G.	Eco-indicators in product development	627–635
Pham, D. T.	Unsupervised adaptive resonance theory neural networks for control chart pattern recognition	59–67
Pham, D. T.	A computer aided process planning system for concurrent engineering	1117–1131
Pham, D. T.	Intelligent control of fibre optic components assembly	1177–1189
Pillinger, I.	Developments in computational modelling techniques for industrial metal forming processes	903–914
Platfoot, R. A.	Process improvement planning using path modelling and simulation	1107–1115
Poon, G. K. K.	Experimental study of workpiece-level variability in blind-via electroplating	521–530
Prickett, P. W.	The development of an on-line milling cutter tooth breakage detection system	147–160
Raff, L. M.	A review on the molecular dynamics simulation of machining at the atomic scale	1639–1672
Raines, M.	Advances in probabilistic design: manufacturing knowledge and applications	297–313
Ramiere, J. F.	Continuous wave–CO_2 laser power control process applied to welding	395–402
Rebafka, U.	Process model based development of disassembly tools	711–722
Rhee, S.	A study on the development of the arc stability index using multiple regression analysis in the short-circuit transfer region of gas metal arc welding	195–205
Rhee, S.	Development of a quality estimation model using multivariate analysis during resistance spot welding	1529–1538
Ring, D.	Application of the goal tree–success tree (GTST) technique to decompose ship design in a production context	79–92
Ristic, M.	Contact probe radius compensation using computer aided design models	819–834
Rolfe, B. F.	Geometric shape errors in forging: developing a metric and an inverse model	1229–1240
Rossi, A.	An evolutionary approach to complex job-shop and flexible manufacturing system scheduling	233–245
Rossi, A.	A form of deviation-based method for coordinate measuring machine sampling optimization in an assessment of roundness	1505–1518
Rowe, W. B.	Temperature case studies in grinding including an inclined heat source model	473–491
Ryu, S.-H.	Task sequence optimization for a dual-robot assembly system using evolutionary algorithms	835–846
Sabin, T. J.	A comparison of the macromodel and neural network approaches for the prediction of microstructural evolution during hot forging	915–925
Saito, Y.	Development of the continuous shear deformation process	947–957
Sakai, T.	Development of the continuous shear deformation process	947–957
Sánchez, J. A.	Cutting conditions and tool optimization in the high-speed milling of aluminium alloys	1257–1269
Sarhadi, M.	Characterizing an electrostatic gripping device for the automated handling of non-rigid materials	21–36
Schaprian, M.	Numerical design of a new forging press drive incorporating non-circular gears	465–471
Scharke, H.	Flexible disassembly systems—layouts and modules for processing obsolete products	723–732
Scholz-Reiter, B.	Flexible disassembly systems—layouts and modules for processing obsolete products	723–732
Scott, P.	The use of vectors for defining the three-dimensional texture and asymmetric directionality of turned specimens	125–134
Seliger, G.	Process model based development of disassembly tools	711–722
Sharifi, H.	Agile manufacturing: a management and operational framework	857–869
Shenoi, R. A.	Application of the goal tree–success tree (GTST) technique to decompose ship design in a production context	79-92

© IMechE 2001

Shivpuri, R.	Precision and ejection issues in the cold forging of a fuel injector nozzle	927–933
Shivpuri, R.	Investigation of internal cracking and its prevention during induction heating of cold-forged parts	1367–1375
Shivpuri, R.	Investigation of end cracking and its prevention by a double reduction die in the cold extrusion of automotive parts	1377–1384
Smith, P. E. S.	On process modelling for selective laser sintering of stainless steel	1497–1504
Soar, R.	Design limits of unbonded laminate tooling for pressure die-casting	531–543
Soliman, H. H.	Using the grey level histogram to distinguish between roughness of surfaces	545–553
Soliman, H. H.	Extraction of roughness properties from captured images of surfaces	555–564
Standring, P. M.	Characteristics of rotary forging as an advanced manufacturing tool	935–945
Starr, A.	A multisensor-based system for manufacturing process monitoring	1165–1175
Steen, W. M.	On the selective removal of steel by laser-assisted vortex machining	1051–1064
Stenzel, A.	Process model based development of disassembly tools	711–722
Stewart, T. D.	Manufacture of production injection mould tooling incorporating conformal cooling channels via indirect selective laser sintering	1323–1332
Suzuki, H.	Development of the continuous shear deformation process	947–957
Swift, K. G.	Advances in probabilistic design: manufacturing knowledge and applications	297–313
Tamaki, H.	An Internet-enabled technology to support evolutionary design	647–655
Tang, Y.-Y.	Modelling and computer simulation of grinding of the ball end type rotating cutter with a constant helical angle	1581–1594
Thimm, G.	Optimal process plans for manufacturing and tolerance charting	1099–1105
Tontowi, A. E.	Selective laser sintering of a crystalline and a glass-filled crystalline polymer: experiments and simulation	1481–1495
Trautner, S.	Computer-based product structure analysis for technical goods regarding optimal end-of-life strategies	683–693
Trmal, G. J.	Reducing pressure transients in hydraulic circuits of die casting machines to improve the quality of the produced components	207–215
Tušek, J.	Development of an algorithm for tungsten inert gas welding of an austenitic stainless steel sheet	1021–1033
Ueda, K.	An Internet-enabled technology to support evolutionary design	647–655
Utsunomiya, H.	Development of the continuous shear deformation process	947–957
Vafaeesefat, A.	Rough pocketing of multi-sculptured surface cavities	745–753
Vahl, M.	Process strategies for sheet metal hydroforming of lightweight components	967–976
Vantomme, P.	Continuous wave–CO_2 laser power control process applied to welding	395–402
van Voorthuysen, E. J.	Process improvement planning using path modelling and simulation	1107–1115
Voglsanger, M.	On the selective removal of steel by laser-assisted vortex machining	1051–1064
Vollertsen, F.	Process layout and forming results from deep drawing using pressurized membranes	977–990
Wang, H.	Rapid prototyping based on variable polarity gas tungsten arc welding for a 5356 aluminium alloy	1519–1527
Wang, J.-S.	A theoretical and experimental investigation of thrust and torque in vibration microdrilling	1539–1548
Wang, L.-J.	A mechanical model for predicting critical thrust forces in drilling composite laminates	135–146
Wang, L.-J.	A theoretical and experimental investigation of thrust and torque in vibration microdrilling	1539–1548
Wang, L. P.	A theoretical and experimental investigation of thrust and torque in vibration microdrilling	1539–1548
West, A. A.	Distributed engineering of manufacturing machines	217–231
West, G. A. W.	Geometric shape errors in forging: developing a metric and an inverse model	1229–1240
Westkämper, E.	Life cycle management and assessment: approaches and visions towards sustainable manufacturing	599–626
Westkämper, E.	Economic and ecological aspects in product life cycle evaluation	673–681
Weston, R. H.	Distributed engineering of manufacturing machines	217–231
White, A.	A hybrid neural network–feature-based manufacturability analysis of mould reinforced plastic parts	1065–1079
Whybrew, K.	Optimal process plans for manufacturing and tolerance charting	1099–1105
Wiendahl, H.-P.	Flexible disassembly system—layouts and modules for processing obsolete products	723–732
Williams, D. J.	Experimental study of workpiece-level variability in blind-via electroplating	521–530
Woods, M.	The UK Navy RAMP Project: improving the spares provisioning process through the rapid acquisition of manufactured parts	283–296
Wu, C.-T.	A high-precision tool model for helical pinion cutters	161–168
Wu, C.-T.	Modelling and computer simulation of grinding of the ball end type rotating cutter with a constant helical angle	1581–1594

© IMechE 2001

Wu, D.-S.	A new approach to enhance the manufacturing accuracy of the cylindrical worm using measured circular-arc helicoidal profile data	47–58
Xirouchakis, P.	Disassembly planning and scheduling: review and further research	695–709
Yan, H. S.	Hierarchical stochastic production planning with delay interaction and demand constraints	1603–1617
Yang, D. Y.	Design and analysis of hollow section extrusion of the underframe part of a railroad vehicle using mismatching refinement with domain decomposition	383–394
Yang, D. Y.	Investigation into a new incremental forming process using an adjustable punch set for the manufacture of a doubly curved sheet metal	991–1004
Yang, S. M.	Roundness improvement in taper machining based on two-dimensional active error compensation	1695–1710
Ye, P.-Q.	A theoretical and experimental investigation of thrust and torque in vibration microdrilling	1539–1548
Yeo, S. H.	Investigation of electrodischarge micromachining controllable factors on machined silicon surface quality	811–817
Yilbas, B. S.	Effect of process parameters on the kerf width during the laser cutting process	1357–1365
Yoon, S. J.	Investigation into a new incremental forming process using an adjustable punch set for the manufacture of a doubly curved sheet metal	991–1004
Young, R. I. M.	Product range models supporting design knowledge reuse	323–337
Young, Y. Y.	Layer manufacture of jewel ring by volume efficient methodology	1035–1049
Yu, K. M.	Layer manufacture of jewel ring by volume efficient methodology	1035–1049
Zhang, H.	Impact strength measurement of spot welds	403–414
Zhang, J.	Modelling of integrated, distributed and cooperative process planning system using an agent-based approach	1437–1451
Zhang, L.-B.	A mechanical model for predicting critical thrust forces in drilling composite laminates	135–146
Zhang, W.	A neural network approach to the modelling and analysis of stereolithography processes	1719–1733
Zhang, W. J.	A software environment for flexible manufacturing system control software testing	339–352
Zhang, Z.	Characterizing an electrostatic gripping device for the automated handling of non-rigid materials	21–36
Zhou, M.	Effect of tool and workpiece anisotropy on microcutting processes	13–19
Zhou, M.	Impact strength measurement of spot welds	403–414
Zuo, B. R.	Process model based development of disassembly tools	711–722

Short Communications in Manufacture and Design

Ajmal, A.	An automated inspection planning system for coordinate measuring machines	419–424
Alexander, K.	Development of safer recreational trampolines	589–593
Alexander, K.	A test rig for kite performance measurement	595–598
Ananda Rao, M.	Recognition of machine cells in a group technology layout using self-organizing neural networks	897–901
Aspinwall, D. K.	A composite tool for ball endmilling	1157–1163
Bacaria, J.-L.	A three-dimensional transient numerical model of milling	1147–1150
Ball, A. A.	Effects of grain-size gradients on thinning in superplastic gas-blow forming	429–433
Barlow, N.	Computer aided design of high-performance grinding tools	583–588
Barrett, C. J.	Metallurgical aspects relating to the production of ferritically hot-rolled interstitial-free steel	1151–1155
Borg, J. C.	Concurrent modelling of components and realization systems to support proactive design for manufacture/assembly	1135–1141
Bowland, W.	A technology-driven architecture for developing highly configurable CAx software	277–281
Brandon, J. A.	The effects of temper rolling conditions on the spectral signatures of sticker wrench faults in batch annealed steel strip	263–270
Busby, J. S.	What limits the ability of design organizations to predict failure?	1471–1474
Caperaa, S.	A three-dimensional transient numerical model of milling	1147–1150
Cheong, B. H.	Effects of grain-size gradients on thinning in superplastic gas-blow forming	429–433
Childs, T. H. C.	Indirect selective laser sintering of metal parts with overhung features	873–876
Chisholm, A.	An automated inspection planning system for coordinate measuring machines	419–424
Dalverny, O.	A three-dimensional transient numerical model of milling	1147–1150
Deen, S. M.	Common generic model of the holonic manufacturing systems project	1293–1297
Dewes, R. C.	A composite tool for ball endmilling	1157–1163
Dimla Snr, D. E.	Correlation of culling force features with tool wear in a metal turning operation	435–440
Dimov, S. S.	Knowledge acquisition for intelligent product manuals	97–103

© IMechE 2001

Dong, S.	Modelling of a steel ball's grade based on image texture features	1633–1638
Fletcher, M.	Common generic model of the holonic manufacturing systems project	1293–1297
Frizell, G. D. M.	Minimizing the number of tool switches on a flexible machine: an experimental study	253–261
Fuh, J. Y. H.	Auto-generation of patch surfaces for injection mould design	105–110
Gallwey, T. J.	The influence of gender and individual differences on risks of injury due to layout in assembly work	1475–1478
Gao, J. X.	A technology-driven architecture for developing highly configurable CAx software	277–281
Goh, K. M.	The effect of ultrasound in micro electro discharge machining on surface roughness	271–276
Gopal Krishna, P. V.	Recognition of machine cells in a group technology layout using self-organizing neural networks	897–901
Hon, K. K. B.	Computer aided design of high-performance grinding tools	583–588
Hvolby, H.-H.	Indicators for performance measurement in small and medium-sized enterprises	1143–1146
Jackson, M. J.	Computer aided design of high-performance grinding tools	583–588
Jin, Y. E.	An analysis of plastic deformation processes for twist-assisted upset forging of cylindrical billets	883–886
Jordanov, I. N.	A conceptual design tool: a sketch and fuzzy logic based system	111–116
Juster, N. P.	Concurrent modelling of components and realization systems to support proactive design for manufacture/assembly	1135–1141
Kim, Y. H.	An analysis of plastic deformation processes for twist-assisted upset forging of cylindrical billets	883–886
Kong, L.	Auto-generation of patch surfaces for injection mould design	105–110
Koshy, P.	A composite tool for ball endmilling	1157–1163
Kumalo, T.	Multi-pass turning operations optimization based on genetic algorithms	117–124
Kurihara, K.	Using human line-of-sight to control equipment	577–581
Lagarrigue, P.	Comparative study of interference caused by different position settings of a conical milling cutter on a ruled surface	1305–1317
Lee, K. S.	Auto-generation of patch surfaces for injection mould design	105–110
Li, D.	Injection moulding simulation of filling and post-filling stages based on a three-dimensional surface model	1459–1463
Liang, Y.	Modelling of a steel ball's grade based on image texture features	1633–1638
Lin, J.	Effects of grain-size gradients on thinning in superplastic gas-blow forming	429–433
Line, J. K.	Calculation of product architecture metrics within a solid modeller	1299–1304
Monies, F.	Comparative study of interference caused by different position settings of a conical milling cutter on a ruled surface	1305–1317
Moore, J.	The effects of temper rolling conditions on the spectral signatures of sticker wrench faults in batch annealed steel strip	263–270
Nishiuchi, N.	Using human line-of-sight to control equipment	577–581
Onwubolu, G. C.	Multi-pass turning operations optimization based on genetic algorithms	117–124
O'Sullivan, L. W.	The influence of gender and individual differences on risks of injury due to layout in assembly work	1475–1478
Pan, H.	Modelling of a steel ball's grade based on image texture features	1633–1638
Park, J. H.	An analysis of plastic deformation processes for twist-assisted upset forging of cylindrical billets	883–886
Pham, D. T.	Knowledge acquisition for intelligent product manuals	97–103
Pham, D. T.	Authoring environment for documentation development	877–882
Pons, D.	The design process and a methodology for system integrity	569–576
Qin, S.-F.	A conceptual design tool: a sketch and fuzzy logic based system	111–116
Raine, J. K.	The design process and a methodology for system integrity	569–576
Redonnet, J.-M.	Comparative study of interference caused by different position settings of a conical milling cutter on a ruled surface	1305–1317
Rees, D. W. A.	Influences of rolling reduction on sheet metal formability	887–895
Rubio, W.	Comparative study of interference caused by different position settings of a conical milling cutter on a ruled surface	1305–1317
Sakai, S.	Using human line-of-sight to control equipment	577–581
Sekine, F.	Estimation of the synthetic dynamic accuracy of the die and the press by considering the eccentric load in blanking	425–428
Setchi, R. M.	Authoring environment for documentation development	877–882
Sharma, R.	A technology-driven architecture for developing highly configurable CAx software	277–281
Shirazi, R.	Minimizing the number of tool switches on a flexible machine: an experimental study	253–261
Soroka, A. J.	Knowledge acquisition for intelligent product manuals	97–103
Sreenivasa Rao, M.	Recognition of machine cells in a group technology layout using self-organizing neural networks	897–901

© IMechE 2001

Srinivas, J.	Recognition of machine cells in a group technology layout using self-organizing neural networks	897–901
Steiner, M. W.	Calculation of product architecture metrics within a solid modeller	1299–1304
Stevenson, J.	A test rig for kite performance measurement	595–598
Stewart, T. D.	Indirect selective laser sintering of metal parts with overhung features	873–876
Strutt, J. E.	What limits the ability of design organizations to predict failure?	1471–1474
Stuckey, C.	The effects of temper rolling conditions on the spectral signatures of sticker wrench faults in batch annealed steel strip	263–270
Takada, H.	Using human line-of-sight to control equipment	577–581
Tan, E. C.	Micromachining of assembled liquid crystal displays	1625–1631
Thorstenson, A.	Indicators for performance measurement in small and medium-sized enterprises	1143–1146
Volpato, N.	Indirect selective laser sintering of metal parts with overhung features	873–876
Watson, P.	Indirect selective laser sintering of metal parts with overhung features	873–876
Whybrew, K.	The design process and a methodology for system integrity	569–576
Wilshire, B.	Metallurgical aspects relating to the production of ferritically hot-rolled interstitial-free steel	1151–1155
Wootton, J.	An automated inspection planning system for coordinate measuring machines	419–424
Wright, D. K.	A conceptual design tool: a sketch and fuzzy logic based system	111–116
Xie, S.	Modelling of a steel ball's grade based on image texture features	1633–1638
Yan, X.-T.	Concurrent modelling of components and realization systems to support proactive design for manufacture/assembly	1135–1141
Yarlagadda, P. K. D. V.	Prediction of processing parameters for injection moulding by using a hybrid neural network	1465–1470
Yeo, S. H.	The effect of ultrasound in micro electro discharge machining on surface roughness	271–276
Yeo, S.-H.	Micromachining of assembled liquid crystal displays	1625–1631
Zhang, S. G.	An automated inspection planning system for coordinate measuring machines	419–424
Zhang, Y.	Injection moulding simulation of filling and post-filling stages based on a three-dimensional surface model	1459–1463
Zhou, H.	Injection moulding simulation of filling and post-filling stages based on a three-dimensional surface model	1459–1463
Zhu, L.	Modelling of a steel ball's grade based on image texture features	1633–1638

© IMechE 2001